INDEX TO VOLUME 49, 1992

Note: All conferences, notices and other announcements are under one heading: NOTICES

A

AASE G *see* FLODMARK B T and AASE G
ABRAHAM J L *see* AUCHINCLOSS J H *et al*
ACQUAVELLA J F *see* SHALLENBERGER L G *et al*
AGIUS R, RIDDLE H F V, SEATON A: Occupational health in the new NHS: *correspondence*, 872
AHLANDER A *see* JOHARD U *et al*
AITIO A *see* ERKKILÄ J *et al*
AL JARAD N
MACEY M, UTHAYAKUMAR S, NEWLAND A C, RUDD R M: Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells: *short report*, 811
UTHAYAKUMAR S, BUCKLAND E J, GREEN T S, ORD J, NEWLAND A C, RUDD R M: The histocompatibility antigen in asbestos related disease, 826
WILKINSON P, PEARSON M C, RUDD R M: A new high resolution computed tomography scoring system for pulmonary fibrosis, pleural disease, and emphysema in asbestos related disease, 73
AL-KASSIMI F A: Pleural effusion in silicosis of the lung, 448
ALBIN M
ENGHOLM G, FRÖSTRÖM K, KHEDDACHE S, LARSSON S, SWANTESSON L: Chest x ray films in construction workers: International Labour Office (ILO 1980) classification compared with routine readings, 862
see also JOHANSSON L *et al*
ALEXANDERSSON R *see* JOHARD U *et al*
ALLEN J A, DOHERTY C C, MCGRANN S: Objective testing for vasospasm in the hand-arm vibration syndrome, 688
ALMKVIST O *see* LANGWORTH S *et al*
ANTTILA S *see* TUOMI T *et al*
AOYAMA K
UEDA A, MANDA F, MATSUSHITA T, UEDA T, YAMAUCHI C: Allergy to laboratory animals: an epidemiological study, 41
see also UEDA A *et al*
ARBORELIUS M *see* HJORTSBERG U *et al*
ARMSTRONG R
CHETTLE D R, SCOTT M C, BLINDT M, MASON H J: Longitudinal studies of exposure to cadmium, 556
CHETTLE D R, SCOTT M C, SOMERVAILLE L J, PENDLINGTON M: Repeated measurements of tibia lead concentrations by in vivo x ray fluorescence in occupational exposure, 14
see also ERKKILÄ J *et al*
ARTESE L *see* CARMIGNANI M *et al*
ASAEDA N *see* HUANG J *et al*
ASSENNATO G *see* PORRO A *et al*
AUCHINCLOSS J H, ABRAHAM J L, GILBERT R, LAX M, HENNEBERGER P K, HEITZMAN E R, PEPPI D J: Health hazard of poorly regulated exposure during manufacture of cemented tungsten carbides and cobalt, 832
AXELSON O *see* COMBA P *et al*
GUNNARSSON L-G *et al*

B

BAGCHI N: What makes silica toxic?, 163
BAILEY W J *see* DAGG T G *et al*
BAJGAR J: Biological monitoring of exposure to nerve agents, 648
BARBIERI P G *see* COMBA P *et al*
BARTOLUCCI G B *see* MARCER G *et al*
BATTIGELLI M C *see* RANAVAYA M I *et al*
BATTISTA G *see* COMBA P *et al*
BEALE N, NETHERCOTT S: A critical review of the effect of factory closures on health: *correspondence*, 70
BECKER P J *see* REES D *et al*
BELLI S *see* COMBA P *et al*
BELLUCO U *see* MARCER G *et al*
BENTUR L *see* RUBIN A E *et al*
BENTUR Y *see* RUBIN A E *et al*
BERNARDI G *see* MARCER G *et al*
BERNHOLZ C D *see* MUIR D C F *et al*
BETRAND J P *see* CHAU N *et al*
BETTA A *see* BRUGNONE F *et al*
BEZUIDENHOUT B N *see* SLUIS-CREMER G K *et al*
BIERSTEKER K *see* HEEDERIK D *et al*
BIGNON J *see* VALLERON A-J *et al*
BINZ H *see* DIOT P *et al*
BLAIR A *see* ZAHM S H *et al*
BLINDT M *see* ARMSTRONG R *et al*
BLOT W J *see* MCLAUGHLIN J K *et al*
BODIN L *see* GUNNARSSON L-G *et al*
BOECKX M *see* OFFERGELT J A *et al*
BOEY K W *see* NGIM C H *et al*
BOLAY J *see* GUBÉRAN E *et al*
BONDE J P: Semen quality in welders exposed to radiant heat, 5
BONIFACE M *see* CEZARD C *et al*
BORGERSEN A *see* SKYBERG K *et al*
BOSCHI S *see* DUJIĆ Ž *et al*
BOSCOLO P *see* CARMIGNANI M *et al*
BOURBONNAIS R, VINET A, VÉZINA M, GINGRAS S: Certified sick leave as a non-specific morbidity indicator: a case-referent study among nurses, 673
BRENNER S *see* GANOR E *et al*
BROCHARD P *see* VALLERON A-J *et al*
BROGDEN K A *see* DE LUCCA A J *et al*
BRUGNONE F, MARANELLI G, ZOTTI S, ZANELLA I, DE PARIS P, CAROLDI S, BETTA A: Blood concentration of carbon disulphide in "normal" subjects and in alcoholic subjects treated with disulfiram, 658
BUCHET J P
GENNART J P, MERCADO-CALDERON F, DELAVIGNETTE J P, CUPERS L, LAUWERYS R: Evaluation of exposure to polycyclic aromatic hydrocarbons in a coke production

and a graphite electrode manufacturing plant: assessment of urinary excretion of 1-hydroxypyrene as a biological indicator of exposure, 761
see also OFFERGELT J A *et al*; ROELS H A *et al*
BUCKLAND E J *see* AL JARAD N *et al*
BUCKLEY T J, LIOY P J: An examination of the time course from human dietary exposure to polycyclic aromatic hydrocarbons to urinary elimination of 1-hydroxypyrene, 113
BURDETT G J *see* VALLERON A-J *et al*
BUREMA J *see* HEEDERIK D *et al*
BURGE P S *see* GANNON P F G *et al*
BURKHART G A *see* EGELAND G M *et al*
BUTLER T *see* JENKINS R *et al*

C

CALISTI R, DE GIULI P, GHIONE G L: An update of cancer mortality among chrysotile asbestos miners in Balangero, northern Italy: *correspondence*, 144
CAMP J *see* CHECKOWAY H *et al*
CAMPOSAMPIERO A *see* MARCER G *et al*
CARMIGNANI M, BOSCOLO P, ARTESE L, DEL ROSSO G, PORCELLI G, FELACO M, VOLPE A R, GIULIANO G: Renal mechanisms in the cardiovascular effects of chronic exposure to inorganic mercury in rats, 226
CAROLDI S *see* BRUGNONE F *et al*
CASE B W *see* DEGUIRE L *et al*
CAZZADORI A, MALESANI F, ROMEO L: Malignant pleural mesothelioma caused by non-occupational childhood exposure to asbestos, 599
CEULEMANS E *see* ROELS H A *et al*
CEZARD C, DEMARQUILLY C, BONIFACE M, HAGUENOER J M: Influence of the degree of exposure to lead on relations between alcohol consumption and the biological indices of lead exposure: epidemiological study in a lead acid battery factory, 645
CHAN E *see* EHRLICH R *et al*
CHAN J *see* MUIR D C F *et al*
CHAU N, BERTRAND J P, GUENZI M, MAYER L, TĂCULESCU D, MUR J M, PATRIS A, MOULIN J J, PHAM Q T: Lung function in retired coke oven plant workers, 316
CHECKOWAY H, COSTA L G, CAMP J, COCCINI T, DANIELL W E, DILLS R L: Peripheral markers of neurochemical function among workers exposed to styrene, 560
CHERNIACK M G *see* LETZ R *et al*
CHERRY N M
LABRÈCHE F P, MCDONALD J C: Organic brain damage and occupational solvent exposure, 776
see also LABRÈCHE *et al*
CHETTLE D R *see* ARMSTRONG R *et al*
CHETTLE D R *see* ERKKILA J *et al*
GERHARDSSON L *et al*
CHIA K S *see* NG T P *et al*
CHIAZZE L, WATKINS D K, FRYAR C: A case-control study of malignant and non-malignant respiratory disease among employees of a fibreglass manufacturing facility, 326
CHIBA M, SHINOHARA A: Inhibition of erythrocyte 5-aminolaevulinate hydrolyase activity by tin and its prevention by selenite, 355
CHRISTENSEN C C *see* SKYBERG K *et al*
CLAVEL-CHAPELON F *see* LAPLANCHE A *et al*
COCCINI T *see* CHECKOWAY H *et al*
COLES G V: Byssinosis in developing countries: *correspondence*, 872
COLES R R A *see* HINCHCLIFFE R *et al*
COMBA P, BARBIERI P G, BATTISTA G, BELLI S, PONTERIO F, ZANETTI D, AXELSON O: Cancer of the nose and paranasal sinuses in the metal industry: a case-control study, 193
CONTASSOT J-C *see* LAPLANCHE A *et al*
CORATELLI P *see* PORRO A *et al*
CORDÓN M *see* MCCONNELL R *et al*
COSTA G *see* RONCO G *et al*
COSTA L G *see* CHECKOWAY H *et al*
COWLES S R *see* TSAI S P *et al*
CRONJE R *see* REES D *et al*
CROOK B *see* TEE R D *et al*
CUPERS L *see* BUCHET J P *et al*
CYR D *see* DEGUIRE L *et al*

D

DAGG T G, SATIN K P, BAILEY W J, WONG O, HARMON L L, SWENCICKI R E: An updated cause specific mortality study of petroleum refinery workers, 203
DAHLQVIST M *see* JOHARD U *et al*
DALLY S *see* FALLAS C *et al*
DANIELL W E *see* CHECKOWAY H *et al*
DAVIS S *see* WORTLEY P *et al*
DE BROE M E *see* NUYTS G D AND DE BROE M E
DE GIULI P *see* CALISTI R *et al*
DE KLERK N H *see* MUSK A W *et al*
DE LUCCA A J, BROGDEN K A, FRENCH A D: Agglutination of lung surfactant with glucan, 755
DE PARIS P *see* BRUGNONE F *et al*
DE ZOTTI R, LARESE F, FIORITO A: Asthma and contact urticaria from latex gloves in a hospital nurse, 596
see also LARESE F *et al*
DEGUIRE L, CYR D, THÉRIAULT G, PROVENCHER S, ITURRA H, CASE B W: Malignant melanoma of the skin among workers in a telecommunications industry: a mortality study 1976-83, 728
DEL ROSSO G *see* CARMIGNANI M *et al*
DELAVIGNETTE J P *see* BUCHET J P *et al*
DEMARQUILLY C *see* CEZARD C *et al*
DEMERS P A, HEYER N J, ROSENSTOCK L: Mortality among firefighters from three northwestern United States cities, 664
DENOBLE P *see* DUJIĆ Ž *et al*
DESCHAMPS D, ROSENBERG N, SOLER P, MAILLARD G, FOURNIER E, SALSON D, GERVAIS P: Persistent asthma after accidental exposure to ethylene oxide, 523
DILLS R L *see* CHECKOWAY H *et al*
DIOT P, LE PAPE A, NOLIBE D, NORMIER G, BINZ H, REVILLARD J P, LASFARGUES G, LAVANDIER M, LEMARIÉ E: Scintigraphy with J001X, a Klebsiella membrane glycolipid, for the early diagnosis of chronic berylliosis: results from an experimental model, 359
DOHERTY C C *see* ALLEN J A *et al*
DONALESKI D *see* SHALLENBERGER L G *et al*
DONCHIN M, SHOUVAL D: Occupational and non-occupational hepatitis B virus infection among hospital employees in Jerusalem: a basis for immunisation strategy, 620
DOSEMECI M *see* MCLAUGHLIN J K *et al*
DOSMAN J A *see* ZEJDA J E *et al*
DOWD C M *see* TSAI S P *et al*
DRISCOLL T R, HAMDAN H H, WANG G, WRIGHT P F A, STACEY N H: Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons, 700
DU TOIT R S J *see* REES D *et al*

DUJIĆ Ž
ETEROVIĆ D, DENOBLE P, KRSTAČIĆ G, TOCILJ J: Lung diffusing capacity in a hyperbaric environment: assessment by a rebreathing technique, 254
TOCILJ J, BOSCHI S, ŠARIĆ M, ETEROVIĆ D: Biphasic lung diffusing capacity: detection of early asbestos induced changes in lung function, 260

E

EGELAND G M, BURKHART G A, SCHNORR T M, HORNUNG R W, FAJEN J M, LEE S T: Effects of exposure to carbon disulphide on low density lipoprotein cholesterol concentration and diastolic blood pressure, 287
EHRLICH R, LILIS R, CHAN E, NICHOLSON W J, SELIKOFF I J: Long term radiological effects of short term exposure to amosite asbestos among factory workers, 268
EISEN E A *see* HU X *et al*
EKHOLM U *see* JOHARD U *et al*
EKLUND A *see* JOHARD U *et al*
ELINDER C G *see* LANGWORTH S *et al*
ENGHOLM G *see* ALBIN M *et al*
ENGLYST V *see* GERHARDSSON L *et al*
ERFURTH E M *see* SVENSSON B-G *et al*
ERIKSSON M, KARLSSON M: Occupational and other environmental factors and multiple myeloma: a population based case-control study, 95
ERKKILÄ J, ARMSTRONG R, RIIHIMAKI V, CHETTLE D R, PAAKKARI A, SCOTT M, SOMERVAILLE L, STARCK J, KOCK B, AITIO A: In vivo measurements of lead in bone at four anatomical sites: long term occupational and consequent endogenous exposure, 631
ERNHART C B, GREENE T: Postpartum changes in maternal blood lead concentrations, 11
ESTRYN-BEHAR M *see* SAUREL-CUBIZOLLES M J *et al*
ETEROVIĆ D *see* DUJIĆ Ž *et al*

F

FAJEN J M *see* EGELAND G M *et al*
FALLAS C, FALLAS J, MASLARD P, DALLY S: Subclinical impairment of colour vision among workers exposed to styrene, 679
FALLAS J *see* FALLAS C *et al*
FELACO M *see* CARMIGNANI M *et al*
FERRI G M *see* PORRO A *et al*
FIORETTA G *see* GUBÉRAN E *et al*
FIORITO A *see* DE ZOTTI R *et al*
LARESE F *et al*
FISCHBEIN A
LUO J-C J, SOLOMON S J, HOROWITZ S, HAILOO W, MILLER A: Clinical findings among hard metal workers, 17
see also GANOR E *et al*
FLODMARK B T, AASE G: Musculoskeletal symptoms and type A behaviour in blue collar workers, 683
FOO S C *see* NG T P *et al*
NGIM C H *et al*
FOURNIER E *see* DESCHAMPS D *et al*
FRANCO G, MASSOLA A: Non-occupational pneumoconiosis at high altitude villages in central Ladakh: *correspondence*, 452
FRANK A L: Cigarette smoking and small irregular opacities: *correspondence*, 600
FRENCH A D *see* DE LUCCA A J *et al*
FRENCH VCM GROUP *see* LAPLANCHE A *et al*
FROOM P *see* GANOR E *et al*
FROSTROM K *see* ALBIN M *et al*
FRYAR C *see* CHIAZZE L *et al*
FU S C *see* PANG D *et al*
FUJINO A, SATOH T, TAKEBAYASHI T, NAKASHIMA H, SAKURAI H, HIGASHI T, MATUMURA H, MINAGUCHI H, KAWAI T: Biological monitoring of workers exposed to acetone in acetate fibre plants, 654

G

GANNON P F G, BURGE P S, HEWLETT C, TEE R D: Haemolytic anaemia in a case of occupational asthma due to maleic anhydride, 142
GANOR E, FISCHBEIN A, BRENNER S, FROOM P: Extreme airborne asbestos concentrations in a public building, 486
GARIBALDI K *see* MORABIA A *et al*
GENNART J P *see* BUCHET J P *et al*
GERHARDSSON L, CHETTLE D R, ENGLYST V, NORDBERG G F, NYHLIN H, SCOTT M C, TODD A C, VESTERBERG O: Kidney effects in long term exposed lead smelter workers, 186
GERMANN C *see* ZOBER M A *et al*
GERR F *see* LETZ R *et al*
GERVAIS P *see* DESCHAMPS D *et al*
GHIONE G L *see* CALISTI R *et al*
GHYSELEN P *see* ROELS H A *et al*
GILBERT R *see* AUCHINCLOSS J H *et al*
GINGRAS S *see* BOURBONNAIS R *et al*
GIULIANO G *see* CARMIGNANI M *et al*
GOLDIE I *see* STENLUND B *et al*
GORDON D J *see* TEE R D *et al*
GORDON S
TEE R D, LOWSON D, WALLACE J, NEWMAN TAYLOR A J: Reduction of airborne allergenic urinary proteins from laboratory rats, 416
see also TEE R D *et al*
GREEN T S *see* AL JARAD N *et al*
GREENBERG M: Inhalation fever: a proposed unifying term for febrile reactions to inhalation of noxious substances: *correspondence*, 455
GREENE T *see* ERNHART C B and GREENE T
GUBÉRAN E, USEL M, RAYMOND L, BOLAY J, FIORETTA G, PUISSANT J: Increased risk for lung cancer and for cancer of the gastrointestinal tract among Geneva professional drivers, 337
GUENZI M *see* CHAU N *et al*
GUNNARSDÓTTIR H *see* RAFNSSON V and GUNNARSDÓTTIR H
GUNNARSSON L-G, BODIN L, SÖDERFELDT B, AXELSON O: A case-control study of motor neurone disease: its relation to heritability, and occupational exposures, particularly to solvents, 791
GUSTAVSSON A *see* LUNDBERG I *et al*

H

HAGBERG M *see* STENLUND B *et al*
HAGUENOER J M *see* CEZARD C *et al*
HAILOO W *see* FISCHBEIN A *et al*
HAISHANG D *see* SHUQIN K *et al*
HAMDAN H H *see* DRISCOLL T R *et al*
HANSCOM B *see* KILBURN K H *et al*
HANSEN E S: A mortality study of Danish stokers, 48
HANSSON E *see* RÖNNBÄCK L and HANSSON E
HARDELL L: Hexachlorophene exposure in a young patient with soft tissue sarcoma: *correspondence*, 743
HARMON L L *see* DAGG T G *et al*

HARVEY S *see* JENKINS R *et al*
HAYES J P *see* LAMBOURN E M *et al*
HEARL F J *see* MCLAUGHLIN J K *et al*
HEEDERIK D, KROMHOUT H, KROMHOUT D, BUREMA J, BIERSTEKER K: Relations between occupation, smoking, lung function, and incidence and mortality of chronic non-specific lung disease: the Zutphen Study, 299
HEITZMAN E R *see* AUCHINCLOSS J H *et al*
HELLEDAY R *see* SANDSTRÖM T *et al*
HÉMON D *see* VALLERON A-J *et al*
HENNEBERGER P K *see* AUCHINCLOSS J H *et al*
HERMON C *see* ROMAN E *et al*
HERSHMAN D *see* LETZ R *et al*
HESTERBERG T W *see* VALLERON A-J *et al*
HEWLETT C *see* GANNON P F G *et al*
HEYER N J *see* DEMERS P A *et al*
HIGASHI T *see* FUJINO A *et al*
YAMATO H *et al*
HINCHCLIFFE R, COLES R R A, KING P F: Occupational noise induced vestibular malfunction?, 63
HINKAMP D L *see* HODGKINS D G *et al*
HISANAGA N *see* HUANG J *et al*
HJORTSBERG U, ØRBAEK P, ARBORELIUS M: Small airways dysfunction among non-smoking shipyard arc welders, 441
HNIZDO E: Loss of lung function associated with exposure to silica dust and with smoking and its relation to disability and mortality in South African gold miners, 472
HODGKINS D G, ROBINS T G, HINKAMP D L, SCHORK M A, KREBS W H: A longitudinal study of the relation of lead in blood to lead in air concentrations among battery workers, 241
HÖGBERG M *see* LUNDBERG I *et al*
HÖGLUND G V, ISELIUS E L, KNAVE B G: Children of male spray painters: weight and length at birth, 249
HOGSTEDT C *see* STENLUND B *et al*
HOKAMA S *see* UEDA A *et al*
HORNUNG R W *see* EGELAND G M *et al*
HOROWITZ S *see* FISCHBEIN A *et al*
HORSTMANN V *see* NIELSEN J *et al*
HU X, WEGMAN D H, EISEN E A, WOSKIE S R, SMITH R G: Dose related acute irritant symptom responses to occupational exposure to sodium borate dusts, 706
HUANG J, ASAEDA N, TAKEUCHI Y, SHIBATA E, HISANAGA N, ONO Y, KATO K: Dose dependent effects of chronic exposure to toluene on neuronal and glial cell marker proteins in the central nervous system of rats, 282
HUGHES J M *see* VALLERON A-J *et al*

I

ICHIBA M *see* TOMOKUNI K *et al*
ISELIUS E L *see* HÖGLUND G V *et al*
ITURRA H *see* DEGUIRE L *et al*
IWATA K, SAITO H, MORIYAMA M, NAKANO A: Follow up study of renal tubular dysfunction and mortality in residents of an area polluted with cadmium, 736

J

JAKOBSSON K *see* JOHANSSON L *et al*
JAMIESON G G *see* JOHNSTON J D *et al*
JANSEN T SEE WESTGAARD R H AND JANSEN T
JENKINS R, HARVEY S, BUTLER T, LLOYD THOMAS R: A six year longitudinal study of the occupational consequences of drinking over "safe limits" of alcohol, 369
JEYARATNAM J *see* NGIM C H *et al*
JING-QIONG C *see* MCLAUGHLIN J K *et al*
JOFFE M: Detection of agents causing genetic or reproductive damage: *editorial*, 1
JOHANSSON L, ALBIN M, JAKOBSSON K, MIKOCZY Z: Histological type of lung carcinoma in asbestos cement workers and matched controls, 626
JOHARD U, EKLUND A, DAHLQVIST M, AHLANDER A, ALEXANDERSSON R, EKHOLM U, TORNLING G, ULFVARSSON U: Signs of alveolar inflammation in non-smoking Swedish wood trimmers, 428
JOHNSTON J D, JAMIESON G G, WRIGHT S: Reproductive and developmental hazards and employment policies, 85
JONGENEELEN F J *see* SHERSON D *et al*
JULIAN J A *see* MUIR D C F *et al*

K

KARJALAINEN A *see* TUOMI T *et al*
KARLSSON M *see* ERIKSSON M and KARLSSON M
KATO K *see* HUANG J *et al*
KATSNELSON B A, KONYSHEVA L K, PRIVALOVA L I, MOROSOVA K I: Development of a multicompartmental model of the kinetics of quartz dust in the pulmonary region of the lung during chronic inhalation exposure of rats, 172
KAWAI T *see* FUJINO A *et al*
KELSO J C: Asbestos and cancer: history and public policy: *correspondence*, 526
KENNEDY M C S: An industrial disease: *correspondence*, 672
KERN J *see* ZUSKIN E *et al*
KHEDDACHE S *see* ALBIN M *et al*
KIDO M *see* YAMATO H *et al*
KILBURN K H
POWERS D, WARSHAW R H: Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction, 714
WARSHAW R H, HANSCOM B: Are hearing loss and balance dysfunction linked in construction iron workers?, 138
KING P F *see* HINCHCLIFFE R *et al*
KLOSS D M *see* LEE W R and KLOSS D M
KNAVE B G *see* HÖGLUND G V *et al*
KNUDSEN K M *see* VESTBO J *et al*
KOCK B *see* ERKKILÄ J *et al*
KONGERUD J *see* SØYSETH V and KONGERUD J
KONYSHEVA L K *see* KATSNELSON B A *et al*
KOSKELA P *see* SEURI M and KOSKELA P
KREBS W H *see* HODGKINS D G *et al*
KROMHOUT D *see* HEEDERIK D *et al*
KROMHOUT H: Incidence of leukaemia and brain tumours in some "electrical occupations": correspondence, 375
see also HEEDERIK D *et al*
KRSTAČIĆ G *see* DUJIĆ Ž *et al*
KUSTERS E: Biological monitoring of MDA: *correspondence*, 72

L

LABRÈCHE F P
CHERRY N M, MCDONALD J C: Psychiatric disorders and occupational exposure to solvents, 820
see also Cherry N M *et al*
LAMBOURN E M, HAYES J P, MCALLISTER W A C, TAYLOR A J N: Occupational asthma due to EPO 60, 294

LANGWORTH S
ALMKVIST O, SÖDERMAN E, WIKSTRÖM B-O: Effects of occupational exposure to mercury vapour on the central nervous system, 545
ELINDER C G, SUNDQUIST K G, VESTERBERG O: Renal and immunological effects of occupational exposure to inorganic mercury, 394
LANOUZIÈRE C *see* LAPLANCHE A *et al*
LAPLANCHE A, CLAVEL-CHAPELON F, CONTASSOT J-C, LANOUZIÈRE C, French VCM Group: Exposure to vinyl chloride monomer: results of a cohort study after a seven year follow up, 134
LARESE F
FIORITO A, DE ZOTTI R: The possible haematological effects of glycol monomethyl ether in a frame factory, 131
see also DE ZOTTI R *et al*
LARSSON S *see* ALBIN M *et al*
LASFARGUES G *see* DIOT P *et al*
LAUWERYS R *see* BUCHET J P *et al*
OFFERGELT J A *et al*
LAUWERYS R R *see* ROELS H A *et al*
LAVANDIER M *see* DIOT P *et al*
LAWRENCE C E *see* TAYLOR P R and LAWRENCE C E
LAX M *see* AUCHINCLOSS J H *et al*
LE PAPE A *see* DIOT P *et al*
LEANDERSON P, TAGESSON C: Hydrogen peroxide release and hydroxyl radical formation in mixtures containing mineral fibres and human neutrophils, 745
LEDIN M-C *see* SANDSTRÖM T *et al*
LEE H S, PHOON W H: Diurnal variation in peak expiratory flow rate among workers exposed to toluene diisocyanate in the polyurethane foam manufacturing industry, 423
see also NG T P *et al*
LEE J: A cautionary note on the use of the correlation coefficient: *correspondence*, 526
LEE S T *see* EGELAND G M *et al*
LEE W R: Cigarette smoking and small irregular opacities: *correspondence*, 815
KLOSS D M: "Clawbacks": *editorial*, 457
LEMARIE E *see* DIOT P *et al*
LETZ R, CHERNIACK M G, GERR F, HERSHMAN D, PACE P: A cross sectional epidemiological survey of shipyard workers exposed to hand-arm vibration, 53
LIDDELL F D K *see* SLUIS-CREMER G K *et al*
LILIS R *see* EHRLICH R *et al*
LIOY P J *see* BUCKLEY T J and LIOY P J
LLOYD THOMAS R *see* JENKINS R *et al*
LOFT S *see* SHERSON D *et al*
LOGAN W P D *see* SLUIS-CREMER G K *et al*
LOMONTE C *see* PORRO A *et al*
LOWSON D *see* GORDON S *et al*
LUNDBERG I, GUSTAVSSON A, HÖGBERG M, NISE G: Diagnoses of alcohol abuse and other neuropsychiatric disorders among house painters compared with house carpenters, 409
LUO J-C J *see* FISCHBEIN A *et al*
LYNGE E *see* RONCO G *et al*
SKOV T *et al*

M

MAARUP B *see* SKOV T *et al*
MCALLISTER W A C *see* LAMBOURN E M *et al*
MCBRIEN R H, STEVENS A B: Occupational health in the new NHS: *correspondence*, 872
MCCAWLEY M A *see* MCLAUGHLIN J K *et al*
MCCONNELL R, CORDÓN M, MURRAY D L, MAGNOTTI R: Hazards of closed pesticide mixing and loading systems: the paradox of protective technology in the Third World, 615
MCDONALD J C *see* CHERRY N M *et al*
LABRÈCHE F P *et al*
MACEY M *see* AL JARAD N *et al*
MCGRANN S *see* ALLEN J A *et al*
MCKIERNAN M J *see* SORAHAN T et al
MCLAUGHLIN J K, JING-QIONG C, DOSEMECI M, RONG-AN C, REXING S H, ZHIEN W, HEARL F J, MCCAWLEY M A, BLOT W J: A nested case-control study of lung cancer among silica exposed workers in China, 167
MCNULTY J C *see* MUSK A W *et al*
MAEHLE W *see* MUIR D C F *et al*
MAGNOTTI R *see* MCCONNELL R *et al*
MAILLARD G *see* DESCHAMPS D *et al*
MAILLARD M F *see* SAUREL-CUBIZOLLES M J *et al*
MALESANI F *see* CAZZADORI A *et al*
MALMBERG P *see* RYLANDER R and MALMBERG P
MANDA F *see* AOYAMA K *et al*
MANTON W I: Postpartum changes in maternal blood lead concentrations: *correspondence*, 671
MARANELLI G *see* BRUGNONE F *et al*
MARCER G, BERNARDI G, BARTOLUCCI G B, MASTRANGELO G, BELLUCO U, CAMPOSAMPIERO A, SAIA B: Pulmonary impairment in workers exposed to silicon carbide, 489
MARIONS O *see* STENLUND B *et al*
MARKOWITZ S *see* MORABIA A *et al*
MASLARD P *see* FALLAS C *et al*
MASON H J *see* ARMSTRONG R *et al*
MASSOLA A *see* FRANCO G and MASSOLA A
MASSON A *see* SAUREL-CUBIZOLLES M J *et al*
MASTRANGELO G *see* MARCER G *et al*
MATSUSHITA T *see* AOYAMA K *et al*
MATUMURA H *see* FUJINO A *et al*
MAYER L *see* CHAU N *et al*
MERCADO-CALDERON F *see* BUCHET J P *et al*
MIKOCZY Z *see* JOHANSSON L *et al*
MILLER A *see* FISCHBEIN A *et al*
MINAGUCHI H *see* FUJINO A *et al*
MONOD G *see* SAUREL-CUBIZOLLES M J *et al*
MONSELL F P, TILLMAN R M: Shearer's wrist: the carpal tunnel syndrome as an occupational disease in professional sheep shearers, 594
MORABIA A, MARKOWITZ S, GARIBALDI K, WYNDER E L: Lung cancer and occupation: results of a multicentre case-control study, 721
MORGAN M S *see* WORTLEY P *et al*
MORGAN W K C: Asbestos and cancer: history and public policy: *correspondence*, 451
see also MUIR D C F *et al*
MORI K *see* TOMOKUNI K *et al*
MORIYAMA M *see* IWATA K *et al*
MOROSOVA K I *see* KATSNELSON B A *et al*
MOULIN J J *see* CHAU N *et al*
MUGNIER N *see* SAUREL-CUBIZOLLES M J *et al*
MUIR D C F, BERNHOLZ C D, MORGAN W K C, ROOS J O, CHAN J, MAEHLE W, JULIAN J A, SEBESTYEN A: Classification of chest radiographs for pneumoconiosis: a comparison of two methods of reading: *short report*, 869
MUR J M *see* CHAU N *et al*
MURRAY D L *see* MCCONNELL R *et al*
MURRAY R: Peter Holland: a pioneer of occupational medicine, 377

MUSK A W, ROUSE I L, RIVERA B, DE KLERK N H, MCNULTY J C: Respiratory disease in non-smoking Western Australian goldminers, 750
see also TEE R D *et al*
MUSSELMAN R P: A case-control study of lung cancer in a cohort of workers potentially exposed to slag wool fibres: *correspondence*, 454
MUSTAJBEGOVIC J *see* ZUSKIN E *et al*

N

NAESS-ANDRESEN C F *see* SKYBERG K *et al*
NAKAJIMA R *see* WANG R-S and NAKAJIMA T
NAKANO A *see* IWATA K *et al*
NAKASHIMA H *see* FUJINO A *et al*
NATTRASS M *see* POOLE C J M *et al*
NETHERCOTT S A *see* BEALE N and NETHERCOTT S
NEWLAND A C *see* Al JARAD N *et al*
NEWMAN TAYLOR A J *see* GORDON S *et al*
TEE R D *et al*
NG T P
FOO S C, YOONG T: Menstrual function in workers exposed to toluene, 799
FOO S C, YOONG T: Risks of spontaneous abortions in female workers exposed to toluene, 804
NG Y L, LEE H S, CHIA K S, ONG H Y: A study of silica nephrotoxicity in exposed silicotic and non-silicotic workers, 35
NG Y L *see* NG T P *et al*
NGIM C H, FOO S C, BOEY K W, JEYARATNAM J: Chronic neurobehavioural effects of elemental mercury in dentists, 782
NICHOLSON W J *see* EHRLICH R *et al*
NIELSEN J, WELINDER H, HORSTMANN V, SKERFVING S: Allergy to methyltetrahydrophthalic anhydride in expoxy resin workers, 769
NISE G *see* LUNDBERG I *et al*
SVENSSON B-G *et al*
NOLIBE D *see* DIOT P *et al*
NOMURA S *see* UEDA A *et al*
NORDBERG G F *see* GERHARDSSON L *et al*
NORMIER G *see* DIOT P *et al*
NORPOTH K *see* POPP W *et al*
NUNN A J *see* TEE R D *et al*
NUYTS G D, DE BROE M E: Renal and immunological effects of occupational exposure to inorganic mercury: *correspondence*, 873
NYHLIN H *see* GERHARDSSON L *et al*

O

OBAMA K *see* UEDA A *et al*
OFFERGELT J A, ROELS H, BUCHET J P, BOECKX M, LAUWERYS R: Relation between airborne arsenic trioxide and urinary excretion of inorganic arsenic and its methylated metabolites, 387
OJANEN T: Class specific antibodies in serodiagnosis of farmer's lung, 332
OKSA P *see* TUOMI T *et al*
OLSEN J *see* SKOV T *et al*
OLSSON H *see* SVENSSON B-G *et al*
ONG H Y *see* NG T P *et al*
ONO Y *see* Huang J *et al*
ØRBAEK P *see* HJORTSBERG U *et al*
ORD J *see* AL JARAD N *et al*
OTT M G *see* ZOBER M A *et al*
OVERGAARD E *see* SHERSON D *et al*

P

PAAKKARI A *see* ERKKILA J *et al*
PACE P *see* LETZ R *et al*
PAHWA P *see* ZEJDA J E *et al*
PANG D, FU S C, YANG G C: Relation between exposure to respirable silica dust and silicosis in a tungsten mine in China, 38
PÄPKE O *see* ZOBER M A *et al*
PARIKH J R: Byssinosis in developing countries: *editorial*, 217
PASSAVANTI G *see* PORRO A *et al*
PATRIS A *see* CHAU N *et al*
PEARSON M C *see* AL JARAD N *et al*
PEIYI X *see* SHUQIN K *et al*
PELERIN M *see* ROMAN E *et al*
PENDLINGTON M *see* ARMSTRONG R *et al*
PEPPI D J *see* AUCHINCLOSS J H *et al*
PHAM Q T *see* CHAU N *et al*
PHOON W H *see* LEE H S and PHOON W H
PONTERIO F *see* COMBA P *et al*
POOLE C J M, WRIGHT A D, NATTRASS M: Control of diabetes mellitus in shift workers, 513
POPE D J *see* SORAHAN T et al
POPP W, SCHMIEDING W, SPECK M, VAHRENHOLZ C, NORPOTH K: Incidence of bladder cancer in a cohort of workers exposed to 4-chloro-o-toluidine while synthesising chlordimeform, 529
PORCELLI G *see* CARMIGNANI M *et al*
PORRO A, LOMONTE C, CORATELLI P, PASSAVANTI G, FERRI G M, ASSENNATO G: Chronic glomerulonephritis and exposure to solvents: a case-referent study, 738
POULSEN H E *see* SHERSON D *et al*
POWERS D *see* KILBURN K H *et al*
PRATT D S *see* RASK-ANDERSEN A and PRATT D S
PRIVALOVA L I *see* KATSNELSON B A *et al*
PROVENCHER S *see* DEGUIRE L *et al*
PUISSANT J *see* GUBÉRAN E *et al*

R

RAFNSSON V, GUNNARSDÓTTIR H: Fatal accidents among Icelandic seamen: 1966-86, 694
RANAVAYA M I, REGER R B, BATTIGELLI M C: Non-occupational pneumoconiosis at high altitude villages in central Ladakh: *correspondence*, 452
RASK-ANDERSEN A, PRATT D S: Inhalation fever: A proposed unifying term for febrile reactions to inhalation of noxious substances, 40
RASMUSSEN F V *see* VESTBO J *et al*
RAYMOND L *see* GUBÉRAN E *et al*
REES D
CRONJE R, DU TOIT R S J: Dust exposure and pneumoconiosis in a South African pottery. 1 Study objectives and dust exposure, 459
STEINBERG M, BECKER P J, SOLOMON A: Dust exposure and pneumoconiosis in a South African pottery. 2 Pneumoconiosis and factors influencing reading of radiological opacities, 465
REFSUM H E *see* SKYBERG K *et al*
REGER R B *see* RANAVAYA M I *et al*
REVILLARD J P *see* DIOT P *et al*
REXING S H *see* MCLAUGHLIN J K *et al*
RIBAK J, SELIKOFF I J: Survival of asbestos insulation workers with mesothelioma, 732
RIDDLE H F V *see* AGIUS R *et al*
RIIHIMÄKI V *see* ERKKILÄ J *et al*
RIVERA B *see* MUSK A W *et al*

ROBINS T G *see* HODGKINS D G *et al*
ROELS H *see* OFFERGELT J A *et al*
ROELS H A, GHYSELEN P, BUCHET J P, CEULEMANS E, LAUWERYS R R: Assessment of the permissible exposure level to manganese in workers exposed to manganese dioxide dust, 25
ROGERS A: Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers: *correspondence*, 451
ROMAN E, VERAL V, PELERIN M, HERMON C: Spontaneous abortion and work with visual display units, 507
ROMEO L *see* CAZZADORI A *et al*
RONCO G, COSTA G, LYNGE E: Cancer risk among Danish and Italian farmers, 220
RONG-AN C *see* MCLAUGHLIN J K *et al*
RONNBACK L, HANSSON E: Chronic encephalopathies induced by mercury or lead: aspects of underlying cellular and molecular mechanisms, 233
RONNEBERG A *see* SKYBERG K *et al*
ROOS J O *see* MUIR D C F *et al*
RORTH M *see* SKOV T *et al*
ROSENBERG N *see* DESCHAMPS D *et al*
ROSENSTOCK L *see* DEMERS P A *et al*
ROSS C E *see* TSAI S P *et al*
ROUSE I L *see* MUSK A W *et al*
RUBIN A E, BENTUR L, BENTUR Y: Obstructive airway disease associated with occupational sodium hydroxide inhalation, 213
RUDD R M *see* AL JARAD N *et al*
RYLANDER R, MALMBERG P: Non-infectious fever: inhalation fever or toxic alveolitis? *correspondence*, 296

S

SAIA B *see* MARCER G *et al*
SAITO H *see* IWATA K *et al*
SAKURAI H *see* FUJINO A *et al*
SALSON D *see* DESCHAMPS D *et al*
SANDSTRÖM T, LEDIN M-C, THOMASSON L, HELLEDAY R, STJERNBERG N: Reductions in lymphocyte subpopulations after repeated exposure to 1.5 ppm nitrogen dioxide, 850
ŠARIĆ M *see* DUJIĆ Ž *et al*
SATIN K P *see* DAGG T G *et al*
SATOH T *see* FUJINO A *et al*
SAUREL-CUBIZOLLES M J, ESTRYN-BEHAR M, MAILLARD M F, MUGNIER N, MASSON A, MONOD G: Neuropsychological symptoms and occupational exposure to anaesthetics, 276
SCHACHTER E N *see* ZUSKIN E *et al*
SCHMIEDING W *see* POPP W *et al*
SCHNEIDER T *see* VALLERON A-J *et al*
SCHNORR T M *see* EGELAND G M *et al*
SCHORK M A *see* HODGKINS D G *et al*
SCOTT M *see* ERKKILÄ J *et al*
SCOTT M C *see* ARMSTRONG R *et al*
GERHARDSSON L *et al*
SEATON A: Cigarette smoking and small irregular opacities: *correspondence*, 453
see also AGIUS R *et al*
SEBESTYEN A *see* MUIR D C F *et al*
SELIKOFF I J *see* EHRLICH R *et al*
RIBAK J AND SELIKOFF I J
SENFT K *see* ZOBER M A *et al*
SEURI M, KOSKELA P: Contact with pigs and cats associated with high prevalence of Toxoplasma antibodies among farmers, 845
SHALLENBERGER L G, ACQUAVELLA J F, DONALESKI D: An updated mortality study of workers in three major United States refineries and chemical plants, 345
SHERSON D, SIGSGAARD T, OVERGAARD E, LOFT S, POULSEN H E, JONGENEELEN F J: Interaction of smoking, uptake of polycyclic aromatic hydrocarbons, and cytochrome P450IA2 activity among foundry workers, 197
SHERWOOD R J: The twain have met: *editorial*, 145
SHIBATA E *see* HUANG J *et al*
SHINOHARA A *see* CHIBA M and SHINOHARA A
SHOUVAL D *see* DONCHIN M and SHOUVAL D
SHUQIN K, HAISHANG D, PEIYI X, WANDA H: A report of two cases of chronic serious manganese poisoning treated with sodium para-aminosalicylic acid, 66
SIGSGAARD T *see* SHERSON D *et al*
SKERFVING S *see* NIELSEN J *et al*
SKOV T, MAARUP B, OLSEN J, RØRTH M, WINTHEREIK H, LYNGE E: Leukaemia and reproductive outcome among nurses handling antineoplastic drugs, 855
SKYBERG K, RØNNEBERG A, CHRISTENSEN C C, NAESS-ANDRESEN C F, BORGERSEN A, REFSUM H E: Lung function and radiographic signs of pulmonary fibrosis in oil exposed workers in a cable manufacturing company: a follow up study, 309
SLUIS-CREMER G K, LIDDELL F D K, LOGAN W P D, BEZUIDENHOUT B N: The mortality of amphibole miners in South Africa, 1946-80, 566
SMITH R G *see* HU X *et al*
SÖDERFELDT B *see* GUNNARSSON L-G *et al*
SÖDERMAN E *see* LANGWORTH S *et al*
SOLER P *see* DESCHAMPS D *et al*
SOLOMON A *see* REES D *et al*
SOLOMON S J *see* FISCHBEIN A *et al*
SOMERVAILLE L *see* ERKKILA J *et al*
SOMERVAILLE L J *see* ARMSTRONG R *et al*
SORAHAN T, POPE D J, MCKIERNAN M J: Cancer incidence and cancer mortality in a cohort of semiconductor workers: an update, 215
SØYSETH V, KONGERUD J: Prevalence of respiratory disorders among aluminium potroom workers in relation to exposure to fluoride, 125
SPECK M *see* POPP W *et al*
STACEY N H *see* DRISCOLL T R *et al*
STARCK J *see* ERKKILÄ J *et al*
Steinberg M *see* Rees D *et al*
STENLUND B, GOLDIE I, HAGBERG M, HOGSTEDT C, MARIONS O: Radiographic osteoarthrosis in the acromioclavicular joint resulting from manual work or exposure to vibration, 588
STEVENS A B *see* MCBRIEN R H and STEVENS A B
STJERNBERG N *see* SANDSTRÖM T *et al*
SUNDQUIST K G *see* LANGWORTH S *et al*
SVENSSON B-G, NISE G, ERFURTH E M, OLSSON H: Neuroendocrine effects in printing workers exposed to toluene, 402
SWANTESSON L *see* ALBIN M *et al*
SWENCICKI R E *see* DAGG T G *et al*

T

TAGESSON C *see* LEANDERSON P and TAGESSON C
TAIKINA-AHO O *see* TUOMI T *et al*
TAKEBAYASHI T *see* FUJINO A *et al*
TAKEUCHI Y *see* HUANG J *et al*
TANAKA I *see* YAMATO H *et al*
TASKINEN E *see* TUOMI T *et al*
TÁTRAI E, UNGVÁRY G: The aetiology of experimental

fibrosing alveobronchiolitis induced in rats by paprika dust, 494
TAYLOR A J N *see* LAMBOURN E M *et al*
TAYLOR P R, LAWRENCE C E: Polychlorinated biphenyls: estimated serum half lives: correspondence, 527
TEANBY D: Fatal injury due to unrestrained vehicle load: short report , 809
TĒCULESCU D *see* CHAU N *et al*
TEE R D, GORDON D J, GORDON S, CROOK B, NUNN A J, MUSK A W, VENABLES K M, NEWMAN TAYLOR A J: Immune response to flour and dust mites in a United Kingdom bakery, 581
see also GANNON P F G *et al*
GORDON S *et al*
THÉERIAULT G *see* DEGUIRE L *et al*
THOMAS D B *see* WORTLEY P *et al*
THOMASSON L *see* SANDSTROM T *et al*
TILLMAN R M *see* MONSELL F P and TILLMAN R M
TOCILJ J *see* DUJI´C ´Z *et al*
TODD A C *see* GERHARDSSON L *et al*
TOMOKUNI K, ICHIBA M, MORI K: Relation between urinary a-aminoisobutyric acid excretion and concentration of lead in the blood of workers occupationally exposed to lead, 365
TORNLING G *see* JOHARD U *et al*
TSAI S P, DOWD C M, COWLES S R, ROSS C E: A prospective study of morbidity patterns in a petroleum refinery and chemical plant, 516
TUBIANA M: The carcinogenic effect of exposure to low doses of carcinogens: *editorial*, 601
TUKIAINEN P *see* TUOMI T *et al*
TUOMI T, OKSA P, ANTTILA S, TAIKINA-AHO O, TASKINEN E, KARJALAINEN A, TUKIAINEN P: Fibres and asbestos bodies in bronchoalveolar lavage fluids of asbestos sprayers, 480

U

UEDA A, AOYAMA K, UEDA T, OBAMA K, UENO T, HOKAMA S, NOMURA S: Recent trends in bagassosis in Japan, 499
UEDA T *see* AOYAMA K *et al*
UEDA A *et al*
ULFVARSSON U *see* JOHARD U *et al*
UNGVARY G *see* TATRAI E and UNGVARY G
USEL M *see* GUBÉRAN E *et al*
UTHAYAKUMAR S *see* AL JARAD N *et al*

V

VAHRENHOLZ C *see* POPP W *et al*
VALLERON A-J, BIGNON J, HUGHES J M, HESTERBERG T W, SCHNEIDER T, BURDETT G J, BROCHARD P, HÉMON D: Low dose exposure to natural and man made fibres and the risk of cancer: towards a collaborative European epidemiology: meeting report, 606
VAUGHAN T L *see* WORTLEY P *et al*
VENABLES K M: Preventing occupational asthma: *editorial*, 817
see also TEE R D *et al*
VERAL B *see* ROMAN E *et al*
VESTBO J, KNUDSEN K M, RASMUSSEN F V: Forced expiratory volume in one second: why dichotomise?, 445
VESTERBERG O *see* GERHARDSSON L *et al*
LANGWORTH S *et al*
VÉZINA M *see* BOURBONNAIS R *et al*
VINET A *see* BOURBONNAIS R *et al*
VOLPE A R *see* CARMIGNANI M *et al*

W

WALDRON H A: Occupational health in the new NHS: *editorial*, 297
WALLACE J *see* GORDON S *et al*
WANDA H *see* SHUQIN K *et al*
WANG G *see* DRISCOLL T R *et al*
WANG R-S, NAKAJIMA T: Effects of ethanol and phenobarbital treatments on the pharmacokinetics of toluene in rats, 104
WARSHAW R H *see* KILBURN K H *et al*
WATKINS D K *see* CHIAZZE L *et al*
WEGMAN D H *see* HU X *et al*
WEISENBURGER D D *see* ZAHM S H *et al*
WELINDER J *see* NIELSEN J *et al*
WELLER M P I: Asbestos and cancer: history and public policy: *correspondence*, 70
WESTGAARD R H, JANSEN T: Individual and work related factors associated with symptoms of musculoskeletal complaints. I A quantitative registration system, 147; II Different risk factors among sewing machine operators, 154
WIKSTRÖM B-O *see* LANGWORTH S *et al*
WILKINSON P *see* AL JARAD N *et al*
WINTHEREIK H *see* SKOV T *et al*
WONG O *see* DAGG T G *et al*
WORTLEY P, VAUGHAN T L, DAVIS S, MORGAN M S, THOMAS D B: A case-control study of occupational risk factors for laryngeal cancer, 837
WOSKIE S R *see* HU X *et al*
WRIGHT A D *see* POOLE C J M *et al*
WRIGHT P F A *see* DRISCOLL T R *et al*
WRIGHT S *see* JOHNSTON J D *et al*
WYNDER E L *see* MORABIA A *et al*

Y

YAMATO H, TANAKA I, HIGASHI T, KIDO M: Determinant factor for clearance of ceramic fibres from rat lungs, 182
YAMAUCHI C *see* AOYAMA K *et al*
YANG G C *see* PANG D *et al*
YOONG T *see* NG T P *et al*

Z

ZAGAR Z *see* ZUSKIN E *et al*
ZAHM S H, BLAIR A, WEISENBURGER D D: Sex differences in the risk of multiple myeloma associated with agriculture: *correspondence*, 815
ZANELLA I *see* BRUGNONE F *et al*
ZANETTI D *see* COMBA P *et al*
ZEJDA J E, PAHWA P, DOSMAN J A: Decline in spirometric variables in grain workers from start of employment: differential effect of duration of follow up, 576
ZHIEN W *see* MCLAUGHLIN J K *et al*
ZOBER M A, OTT M G, PÄPKE O, SENFT K, GERMANN C: Morbidity study of extruder personnel with potential exposure to brominated dioxins and furans. I Results of blood monitoring and immunological tests, 532
ZOTTI S *see* BRUGNONE F *et al*
ZUSKIN E, ZAGAR Z, SCHACHTER E N, MUSTAJBEGOVIC J, KEEN J: Respiratory symptoms and ventilatory capacity in swine confinement workers, 435

SUBJECT INDEX TO VOLUME 49, 1992

A

Abortion, spontaneous
risk, and toluene exposure, 804
and VDUs, 507
Acetone, exposure, in acetate fibre plants, biological monitoring, 654
Acetylcholinesterase, blood activity for biological monitoring of exposure to nerve agents, 648
Agglutination of lung surfactant with glucan, 755
Airways obstruction, and fine fibreglass exposure, 714
Alcohol
abuse, and other neuropsychiatric disorders, diagnoses, painters and carpenters compared, 409
occupational consequences of drinking over "safe limits", 369
Allergy
and asthma, caused by proteins from laboratory rats, 416
to laboratory animals, epidemiology, 41
to methyltetrahydrophthalic anhydride, epoxy resin workers, 769
Aluminium potroom workers, prevalence of respiratory disorders in relation to exposure to fluoride, 125
Alveolar inflammation, signs in non-smoking Swedish wood trimmers, 428
β-Aminoisobutyric acid, urinary excretion, and lead blood levels, relation in lead-exposed workers, 365
Amosite asbestos, short term exposure, long term radiological effects, factory workers, 268
Amphibole miners, mortality, South African, 1946-80, 566
Anaesthetics, occupational exposure, and neuropsychological symptoms, 276
Antineoplastic drugs, leukaemia and reproductive outcome among nurses handling, 855
Arc welders, shipyard, non-smoking, and small airways dysfunction, 441
Arsenic trioxide, airborne, and urinary excretion of inorganic arsenic and its methylated metabolites, relation between, 387
Asbestos
bodies and fibres in bronchoalveolar lavage fluids of asbestos sprayers, 480
and cancer, history and public policy: *correspondence*, 70, 451, 526
cement workers, lung carcinoma, histological type, 626
exposure, lymphocyte subsets, changes in circulating NK cells: *short report*, 811
extreme airborne concentrations, public building, 486
former workers, Wittenoom, prediction of mesothelioma, lung cancer, and asbestosis: *correspondence*, 451
induced changes in lung function, early, detection, biphasic lung diffusing capacity, 260
insulation workers, with mesothelioma, survival, 732
non-occupational childhood exposure, causing malignant pleural mesothelioma, 599
related disease
histocompatibility antigen, 826
new HRCT scoring system for pulmonary fibrosis, pleural disease and emphysema, 73
sprayers, asbestos bodies and fibres in bronchoalveolar lavage fluids, 480
see also Amosite asbestos
Asthma
caused by proteins from laboratory rats, 416
and contact urticaria from latex gloves, hospital nurse, 596
occupational
due to EPO, 60, 294
due to maleic anhydride, and haemolytic anaemia, 142
preventing: *editorial*, 817
persistent, after accidental exposure to ethylene oxide, 523
Australia, respiratory disease in non-smoking goldminers, 750

B

Bagassosis, recent trends, Japan, 499
Battery workers, relation between blood and air lead concentrations, 241
Berylliosis, chronic, scintigraphy with J001X in diagnosis, 359
Bile acids, serum or plasma concentrations, chlorinated aliphatic hydrocarbons, 700
Biological monitoring *editorial*, 145
Bladder cancer, incidence, exposure to 4-chloro-o-toluidine while synthesising chlordimeform, 529
Blood pressure, diastolic, and LDL cholesterol, effects of carbon disulphide exposure, 287
Blue collar workers, musculoskeletal symptoms and type A behaviour, 683
Brain damage, organic, and occupational solvent exposure, 776
Brain tumours, and leukaemia, incidence in some "electrical occupations": *correspondence*, 375
Bronchoalveolar lavage fluids, asbestos sprayers, fibres and asbestos bodies in, 480
Byssinosis in developing countries: *editorial*, 217: *correspondence*, 872

C

Cable manufacturing, oil exposure, and pulmonary fibrosis, 309
Cadmium exposure, longitudinal studies, 556
Cadmium polluted area, renal tubular dysfunction and mortality, 736

Cancer
and asbestos, history and public policy: *correspondence*, 70, 451, 526
incidence and mortality, in cohort of semiconductor workers, update, 215
risk
among Danish and Italian farmers, 220
and low dose exposure to natural and man made fibres, 606
Carbon disulphide
blood concentration, normal and alcoholic subjects treated with disulfiram, 658
exposure, effects on LDL cholesterol and diastolic blood pressure, 287
Carcinogens, carcinogenic effect of exposure to low doses: *editorial*, 601
Carpal tunnel syndrome, as occupational disease in professional sheep shearers, 594
Carpenters and painters compared, for alcohol abuse and other neuropsychiatric disorders, 409
Cats, associated with prevalence of *Toxoplasma* antibodies among farmers, 845
Central nervous system, effects of occupational exposure to mercury vapour, 545
Ceramic fibres, clearance from rat lungs, determinant factor, 182
Chemical plant
petroleum refinery, morbidity patterns, 516
and refineries, US, mortality of workers, 345
Chest radiographs
in construction workers, ILO 1980 classification compared with routine readings, 862
for pneumoconiosis, classification, comparison of two methods of reading: *short report*, 869
Chlordimeform, 4-chloro-o-toluidine exposure, and bladder cancer incidence, 529
Chlorinated aliphatic hydrocarbon exposure, serum or plasma bile acid concentration, 700
4-Chloro-o-toluidine, exposure to while synthesising chlordimeform, and bladder cancer incidence, 529
Chronic bronchitis, as industrial disease: *correspondence*, 672
Chronic non-specific lung disease, incidence and mortality, relations between occupation, smoking and lung function, Zutphen Study, 299
Chrysotile asbestos miners, cancer mortality, Balangero, northern Italy: *correspondence*, 144
"Clawbacks": editorial , 457
Cobalt, and cemented tungsten carbides, poorly regulated exposure, health hazard, 832
Coke oven plant workers, retired, lung function, 316
Coke production, PAH exposure, 761
Colour vision, subclinical impairment, styrene exposure, 679
Construction workers, chest x ray films, ILO 1980 classification compared with routine readings, 862
Correlation coefficient, use, cautionary note: *correspondence*, 526
Cytochrome P450IA2 activity, smoking, and uptake of polycyclic aromatic hydrocarbons, interaction, foundry workers, 197

D

Denmark, cancer risk among farmers, 220
Dentists, chronic neurobehavioural effects of elemental mercury, 782
Diabetes mellitus, in shift workers, control, 513
Dioxins and furans, brominated, exposure, morbidity study. I Results of blood monitoring and immunological tests, 532
Disulfiram, blood concentration of carbon disulphide, normal and alcoholic subjects, 658
Drivers, professional, increased risk for lung cancer and gastrointestinal tract cancer, Geneva, 337
Drownings, among Icelandic seamen, 1966-86, 694
Dust exposure and pneumoconiosis, South African pottery, 1 Study objectives and dust exposure, 459: 2 Pneumoconiosis and factors influencing reading of radiological opacities, 465
Dust mites, immune response to, United Kingdom bakery, 581

E

"Electrical occupations", incidence of leukaemia and brain tumours: *correspondence*, 375
Electronics workers, male, children of, weight and length at birth, 249
Emphysema
in asbestos related disease, new HRCT scoring system, 73
as industrial disease: *correspondence*, 672
Employment policies, reproductive and developmental hazards, 85
Encephalopathies, chronic, induced by mercury or lead, underlying cellular and molecular mechanisms, 233
EPO 60, causing occupational asthma, 294
Epoxy resin workers, allergy to methyltetrahydrophthalic anhydride, 769
Erythrocyte 5-aminolaevulinate hydrolyase activity, inhibition by tin and its prevention by selenite, 355
Ethanol treatment, effect on pharmacokinetics of toluene, rats, 104
Ethylene oxide, persistent asthma after accidental exposure, 523

F

Factory closures, effect on health, critical review: *correspondence*, 70
Farmer's lung, class specific antibodies in serodiagnosis, 332
Fatal accidents, Icelandic seamen, 1966-86, 694
Fatal injury, due to unrestrained vehicle load: *short report*, 809
Fever, non-infectious, inhalation fever or toxic alveolitis: *correspondence*, 296
Fibreglass, fine, pulmonary effects of exposure, irregular opacities and small airways obstruction, 714
Fibreglass manufacturing facility, malignant and non-malignant respiratory disease among employees, 326
Fibres
and asbestos bodies, in bronchoalveolar lavage fluids of asbestos sprayers, 480
natural and man made, low dose exposure and cancer risk, 606
Fibrosing alveobronchiolitis induced by paprika dust, rats, 494
Firefighters, mortality, three northwestern United States cities, 664
Flour mites, immune response to, United Kingdom bakery, 581
Fluoride exposure, aluminium potroom workers, and prevalence of respiratory disorders, 125
Forced expiratory volume in one second, why

dichotomise?, 445
Foundry workers, interaction of smoking, uptake of polycyclic aromatic hydrocarbons, and cytochrome P450IA2 activity, 197
Frame factory, possible haematological effects of glycol monomethyl ether, 131
Furans and dioxins, brominated, exposure, morbidity study. I Results of blood monitoring and immunological tests, 532

G

Gastrointestinal tract cancer, increased risk among Geneva professional drivers, 337
Genetic damage, detection of agents causing: *editorial*, 1
Glomerulonephritis, chronic, and solvent exposure, 738
Glucan, and agglutination of lung surfactant, 755
Glycol monomethyl ether, in a frame factory, possible haematological effects, 131
Glycolipid (J001X), in early diagnosis of chronic berylliosis, 359
Goldminers
lung function loss, silican dust and smoking, South Africa, 472
non-smoking, and respiratory disease, Western Australia, 750
Grain workers, decline in spirometric variables from start of employment, 576
Graphite electrode manufacturing plant, PAH exposure, 761

H

Haemolytic anaemia, in case of occupational asthma due to maleic anhydride, 142
Hand-arm vibration, shipyard workers, cross sectional epidemiological survey, 53
Hand-arm vibration syndrome, objective testing for vasospasm, 688
Hard metal workers, clinical findings, 17
Hazards, reproductive and developmental, and employment policies, 85
Hearing loss and balance dysfunction, possible link in construction iron workers, 138
Hepatitis B virus, hospital employees, Jerusalem, 620
Hexachlorophene exposure, and soft tissue sarcoma: *correspondence*, 743
High resolution computed tomography scoring system, for pulmonary fibrosis, pleural disease, and emphysema, in asbestos related disease, 73
Histocompatibility antigen, in asbestos related disease, 826
Holland, Peter, pioneer of occupational medicine, 377
Hydrogen peroxide release and hydroxyl radical formation in mixtures containing mineral fibres and human neutrophils, 745
1-Hydroxypyrene excretion, biological indication of PAH exposure, 761
Hyperbaric environment, lung diffusing capacity, assessment by rebreathing technique, 254

I

Iceland, fatal accidents among seamen, 1966-86, 694
Immune response to flour and dust mites, United Kingdom bakery, 581
Immunoglobulin classes, in serodiagnosis of farmer's lung, 332
Immunological and renal effects of occupational exposure to inorganic mercury, 394: *correspondence*, 873
Inhalation exposure, quartz dust kinetics, rats, 172
Inhalation fever, proposed unifying term for febrile reactions to inhalation of noxious substances, 40; *correspondence*, 455
Iron construction workers, hearing loss and balance dysfunction, possible link, 138
Italy, cancer risk among farmers, 220

J

J001X, in early diagnosis of chronic berylliosis, 359
Japan, bagassosis, recent trends, 499
Jerusalem, hepatitis B virus, hospital employees, 620

K

Kidney effects in long term exposed lead smelter workers, 186

L

Laboratory animals, allergy to, epidemiology, 41
Ladakh, non-occupational pneumoconiosis at high altitude villages: *correspondence*, 452
Laryngeal cancer, occupational risk factors, 837
Latex gloves, asthma and contact urticaria from, hospital nurse, 596
Lead
blood and air concentrations, relations between, battery workers, 241
blood levels, and urinary β-aminoisobutyric acid excretion, relation in lead-exposed workers, 365
bone concentrations, in vivo measurements, four sites, 631
exposure, relations between alcohol consumption and biological indices, 645
-induced chronic encephalopathies, underlying cellular and molecular mechanisms, 233
maternal blood concentrations, postpartum changes, 11: *correspondence*, 671
smelter workers, long term exposed, kidney effects, 186
tibial concentrations, in vivo x ray fluorescence measurements repeated, 14
Leukaemia
and brain tumours, incidence in some "electrical occupations": *correspondence*, 375
and reproductive outcome, among nurses handling antineoplastic drugs, 855
Low density lipoprotein cholesterol, and diastolic blood pressure, effects of carbon disulphide exposure, 287
Low dose exposure to natural and man made fibres and risk of cancer, towards a collaborative European epidemiology: meeting report, 606
Lung cancer
increased risk among Geneva professional drivers, 337
and occupation, 721
silica exposed workers, China, 167
in workers potentially exposed to slag wool fibres, case-control study: *correspondence*, 454
Lung carcinoma, histological type in asbestos cement workers and matched controls, 626
Lung diffusing capacity
biphasic, detection of early asbestos induced changes in lung function, 260
in hyperbaric environment, assessment by rebreathing technique, 254

Lung function
loss, and silica dust and smoking, South African gold miners, 472
retired coke oven plant workers, 316
Lung surfactant, agglutination with glucan, 755
Lymphocyte subpopulations, reductions after repeated exposure to 1.5 ppm nitrogen dioxide, 850
Lymphocyte subsets in subjects exposed to asbestos, changes in circulating NK cells: *short report*, 811

M

Maleic anhydride, causing occupational asthma, and haemolytic anaemia, 142
Manganese, permissible exposure level, exposure to manganese dioxide dust, 25
Manganese poisoning, chronic serious, treated with sodium para-aminosalicylic acid, 66
Marker proteins, neuronal and glial cell, dose dependent effects of chronic exposure to toluene, CNS, rats, 282
MDA, see 4,4'-Methylenedianiline
Melanoma, malignant, telecommunications industry workers, mortality, 1976-83, 728
Menstrual function in workers exposed to toluene, 799
Mercury
elemental, chronic neurobehavioural effects, dentists, 782
-induced chronic encephalopathies, underlying cellular and molecular mechanisms, 233
inorganic
renal and immunological effects of occupational exposure, 394: *correspondence*, 873
renal mechanisms in cardiovascular effects of chronic exposure, rats, 226
vapour, occupational exposure, effects on central nervous system, 545
Mesothelioma, asbestos insulation workers, survival, 732
Metal industry, cancer of nose and paranasal sinuses, 193
4,4'-Methylenedianiline, biological monitoring: *correspondence*, 72
Methyltetrahydrophthalic anhydride, allergy to, epoxy resin workers, 769
Mineral fibres and human neutrophils, hydrogen peroxide release and hydroxyl radical formation in mixtures containing, 745
Mites, flour and dust, immune response to, United Kingdom bakery, 581
Mortality, among firefighters, three northwestern United States cities, 664
Motor neurone disease, relation to heritability, and occupational exposures, particularly to solvents, 791
Multiple myeloma, occupational and other environmental factors, 95: *correspondence*, 815
Musculoskeletal complaints, individual and work related factors, I A quantitative registration system, 147; II Different risk factors among sewing machine operators, 154
Musculoskeletal symptoms and type A behaviour, blue collar workers, 683

N

Natural killer cells, circulating, changes, lymphocyte subsets and asbestos exposure: *short report*, 811
Nephrotoxicity, silica, in exposed silicotic and non-silicotic workers, 35
Nerve agents, exposure, biological monitoring, 648
Neurobehavioural effects, chronic, elemental mercury, dentists, 782
Neuroendocrine effects in printing workers exposed to toluene, 402
Neuropsychological symptoms and occupational exposure to anaesthetics, 276
Nitrogen dioxide, 1.5 ppm, repeated exposure, reductions in lymphocyte subpopulations, 850
Noise induced vestibular malfunction, occupational, 63
Nose and paranasal sinuses, cancer, metal industry, 193
Notices, 144, 375, 455, 528, 600, 672, 743, 816, 874
Nurses
certified sick leave, non-specific morbidity indicator, 673
handling antineoplastic drugs, leukaemia and reproductive outcome, 855

O

Obstructive airway disease, associated with occupational sodium hydroxide inhalation, 213
Occupation, smoking, lung function, and incidence and mortality of chronic non-specific lung disease, Zutphen Study, 299
Occupational health in the new NHS: *editorial*, 297: *correspondence*, 872
Occupational noise induced vestibular malfunction?, 63
Oil exposure, cable manufacturing, and pulmonary fibrosis, 309
Opacities
irregular, pulmonary, and fine fibreglass exposure, 714
small irregular, and cigarette smoking: *correspondence*, 453, 600, 815
Organic brain damage, and occupational solvent exposure, 776
Osteoarthrosis, radiographic, in acromioclavicular joint, resulting from manual work or exposure to vibration, 588

P

Painters
and carpenters compared, for alcohol abuse and other neuropsychiatric disorders, 409
spray, male, weight and length of their children, 249
Paprika dust, inducing fibrosing alveobronchiolitis, rats, 494
Pesticide, closed mixing and loading systems, hazards, 615
Petroleum refinery
and chemical plant, morbidity patterns, 516
updated cause specific mortality study, 203
Phenobarbital treatment, effect on pharmacokinetics of toluene, rats, 104
Pigs, associated with prevalence of *Toxoplasma* antibodies among farmers, 845
Pleural disease, in asbestos related disease, new HRCT scoring system, 73
Pleural effusion, in silicosis of the lung, 448
Pleural mesothelioma, malignant, caused by non-occupational childhood exposure to asbestos, 599
Pneumoconiosis
chest radiographs, classification, comparison of two methods of reading: *short report*, 869
and dust exposure, South African pottery, 1 Study objectives and dust exposure, 459: 2 Pneumoconiosis and factors influencing reading of radiological opacities, 465

non-occupational, at high altitude villages in central Ladakh: *correspondence*, 452
Polychlorinated biphenyls, estimated serum half lives: *correspondence*, 527
Polycyclic aromatic hydrocarbons
dietary exposure, time course to urinary elimination of 1-hydroxypyrene, 113
exposure, in coke production and graphite electrode manufacturing plant, 761
smoking, and cytochrome P450IA2 activity, interaction, foundry workers, 197
Polyurethane foam manufacturing industry, diurnal variation in PEFR among workers exposed to toluene diisocyanate, 423
Pottery, dust exposure and pneumoconiosis, South Africa, 1 Study objectives and dust exposure, 459: 2 Pneumoconiosis and factors influencing reading of radiological opacities, 465
Printing workers, exposed to toluene, neuroendocrine effects, 402
Psychiatric disorders and occupational solvent exposure, 820
Pulmonary effects of fine fibreglass exposure, irregular opacities and small airways obstruction, 714
Pulmonary fibrosis
in asbestos related disease, new HRCT scoring system, 73
oil exposed workers, cable manufacturing, 309
Pulmonary impairment, in workers exposed to silicon carbide, 489

Q

Quartz dust, kinetics, during chronic inhalation exposure, rats, 172

R

Rebreathing technique, in assessment of lung diffusing capacity in hyperbaric environment, 254
Refineries, and chemical plants, US, mortality of workers, 345
Renal and immunological effects of occupational exposure to inorganic mercury, 394: *correspondence*, 873
Renal mechanisms in cardiovascular effects of chronic exposure to inorganic mercury, rats, 226
Renal tubular dysfunction, and mortality, cadmium polluted area, 736
Reproductive damage, detection of agents causing: *editorial*, 1
Reproductive and developmental hazards, and employment policies, 85
Reproductive outcome and leukaemia among nurses handling antineoplastic drugs, 855
Respiratory disease
malignant and non-malignant, among employees of fibreglass manufacturing facility, 326
in non-smoking Western Australian goldminers, 750
Respiratory disorders, prevalence among aluminium potroom workers in relation to exposure to fluoride, 125
Respiratory symptoms, and ventilatory capacity, in swine confinement workers, 435

S

Sarcoma, soft tissue, and hexachlorophene exposure: *correspondence*, 743
Seamen, fatal accidents, Iceland, 1966-86, 694
Selenite, preventing inhibition of erythrocyte 5-aminolaevulinate hydrolyase activity by tin, 355
Semen, quality in welders exposed to radiant heat, 5
Semiconductor workers, cancer incidence and mortality in cohort, update, 215
Sewing machine operators, musculoskeletal complaints, 147
Shearer's wrist, carpal tunnel syndrome as occupational disease in professional sheep shearers, 594
Sheep shearers, professional, shearer's wrist, carpal tunnel syndrome as occupational disease, 594
Shift workers, control of diabetes mellitus, 513
Shipyard workers, exposed to hand-arm vibration, cross sectional epidemiological survey, 53
Sick leave, certified, as non-specific morbidity indicator, case-referent study among nurses, 673
Silica
dust, exposure, respirable, and silicosis, relation between, tungsten mine, China, 38
and smoking, lung function loss, South African gold miners, 472
exposed workers, lung cancer, China, 167
nephrotoxicity, in exposed silicotic and non-silicotic workers, 35
what makes it toxic?, 163
Silicon carbide exposure and pulmonary impairment, 489
Silicosis, and respirable silica dust exposure, relation between, tungsten mine, China, 38
Silicosis of the lung, pleural effusion, 448
Slag wool fibres, workers potentially exposed to, case-control study of lung cancer: *correspondence*, 454
Small airways dysfunction, non-smoking shipyard arc welders, 441
Smoking
cigarette, and small irregular opacities: *correspondence*, 453, 600, 815
relation between occupation, lung function, and smoking, and incidence and mortality of chronic non-specific lung disease, Zutphen Study, 299
and silica dust, lung function loss, South African gold miners, 472
uptake of polycyclic aromatic hydrocarbons, and cytochrome P450IA2 activity, interaction, foundry workers, 197
Sodium borate dusts, dose-related acute irritant symptom responses to exposure, 706
Sodium hydroxide inhalation, occupational, and obstructive airway disease, 213
Sodium para-aminosalicylic acid, in treatment of chronic serious manganese poisoning, 66
Solvent exposure
and chronic glomerulonephritis, 738
and motor neurone disease, 791
occupational
and organic brain damage, 776
and psychiatric disorders, 820
South Africa
mortality of amphibole miners, 1946-80, 566
pottery, dust exposure and pneumoconiosis, 1 Study objectives and dust exposure, 459: 2 Pneumoconiosis and factors influencing reading of radiological opacities, 465
Spray painters, male, children of, weight and length at birth, 249
Stokers, mortality study, Denmark, 48
Styrene exposure
peripheral markers of neurochemical function, 560

and subclinical impairment of colour vision, 679
Swine confinement workers, respiratory symptoms and ventilatory capacity, 435

T

Taxation recouping, "clawbacks": *editorial*, 457
Telecommunications industry workers, malignant melanoma, mortality, 1976–83, 728
Third World, technology and hazards of closed pesticide mixing and loading systems, 615
Toluene
diisocyanate, in polyurethane foam manufacturing industry, diurnal variation in PEFR, 423
dose dependent effects of chronic exposure on neuronal and glial cell marker proteins, CNS, rats, 282
effects of ethanol and phenobarbital treatments on pharmacokinetics, rats, 104
exposure
and menstrual function, 799
printing workers, neuroendocrine effects, 402
and spontaneous abortion risk, 804
Toxoplasma antibodies among farmers, pigs and cats associated with high prevalence, 845
Tungsten carbides, cemented, and cobalt, poorly regulated exposure, health hazard, 832
Tungsten mine, silica dust exposure and silicosis, relation between, China, 38
Type A behaviour, and musculoskeletal symptoms, blue collar workers, 683

U

Unrestrained vehicle load, causing fatal injury: *short report*, 809
Urticaria, contact, and asthma, from latex gloves, hospital nurse, 596

V

Vasospasm, objective testing, hand-arm vibration syndrome, 688
Vehicle load, unrestrained, causing fatal injury: *short report*, 809
Ventilatory capacity, and respiratory symptoms, in swine confinement workers, 435
Vestibular malfunction, noise induced, occupational, 63
Vibration, resulting in radiographic osteoarthrosis in the acromioclavicular joint, 588
Vinyl chloride monomer exposure, cohort study after seven year follow up, 134
Visual display units, and spontaneous abortion, 507

W

Welders
arc, shipyard, non-smoking, and small airways dysfunction, 441
exposed to radiant heat, semen quality, 5
Wittenoom asbestos workers, former, prediction of mesothelioma, lung cancer, and asbestosis: *correspondence*, 451
Wood trimmers, non-smoking, signs of alveolar inflammation, Sweden, 428

Z

Zutphen Study, relations between occupation, smoking, lung function, and incidence and mortality of chronic non-specific lung disease, 299